




LIFTING AND TIE-DOWN PRODUCTS

Vertically Integrated Manufacturing Worldwide.



THE MANUFACTURER, START TO FINISH

Unitex USA is a subsidiary of the The Unitex Group, a multi-faceted international company that currently services market leaders throughout the world with a complete range of lifting and tie-down products.



Supported by our own vertically integrated manufacturing facilities worldwide, we are uniquely positioned to implement stringent "in-house" control systems to every aspect of the production process.




WEB SLINGS

General-purpose flat slings constructed of 100% heavy-duty polyester webbing. These slings are lightweight, less likely to scratch or damage the load, resist mildew and bacteria growth, and have excellent elongation properties versus nylon. For use in choker, vertical and basket hitches.

- Enlarged eyes allow for greater range of attachment points, greater ease of use and performance
- Synthetic identification tag provides required OSHA information and resists damage from natural elements and chemicals

*Rated Capacity in Pounds

Part No.	Webbing Width	Vertical	Choker	Basket
EE2HD-01	1"	3,200	2,500	6,400
EE2HD-02	2"	6,400	5,000	12,800
EE2HD-03	3"	8,600	6,900	17,200
EE2HD-04	4"	11,500	9,200	23,000



- Inspect sling for damage before each use.
- Do not use if capacity tag is missing or not readable.
- Sling should be protected from abrasive surfaces.
- Do not load sling in excess of rated capacity.
- Consult manufacturer's sling angle chart for capacity reduction due to sling angle.
- Do not expose to temperatures above 194° F (90° C).
- Do not use near caustics.




ROUND SLINGS

Our most versatile and flexible sling, constructed of high tenacity load-carrying fibers, which are protected by a double jacket polyester cover. Pliable nature of the sling allows it to conform and mold to irregular shaped loads affording operator greater ease of use. Endless in configuration, our round slings are ideal for choker, vertical and basket hitches.

- High strength-to-weight ratio
- Wear points can be shifted to extend life of sling
- Color coding easily allows operator to identify lifting capacity of sling, eliminating any guess work

*Rated Capacity in Pounds

Part No.	Color Code	Vertical	Choker	Vertical Basket	Min. Length
ENR-10	Purple	2,600	2,100	5,200	3'
ENR-20	Green	5,300	4,200	10,600	3'
ENR-30	Yellow	8,400	6,700	16,800	3'
ENR-40	Tan	10,600	8,500	21,200	3'
ENR-50	Red	13,200	10,600	26,400	3'
ENR-60	White	16,800	13,400	33,600	6'
ENR-70	Blue	21,200	17,000	42,400	6'
ENR-80	Orange	25,000	20,000	50,000	6'



- Inspect sling for damage before each use.
- Do not use sling if cover is damaged, exposing core fibers, or if heat or chemical damage is visible.
- Do not use if capacity tag is missing or not readable.
- Roundslings shall always be protected from being cut by corners, edges or protrusions.
- Sling should be protected from abrasive surfaces.
- Do not load sling in excess of rated capacity.
- Consult manufacturer's sling angle chart for capacity reduction due to sling angle.
- Do not expose to temperatures above 194° F (90° C).
- Do not tie roundslings into knots, or join by knotting.
- Do not use near caustics.



TIE-DOWNS

Unitex USA's securing systems are constructed from 100% heavy-duty polyester webbing. Our tie-down assemblies are available in numerous widths, lengths, and hardware fittings to satisfy a wide variety of applications including truck, boat, rail, in-plant logistics, and cargo management.

- Long-wide ratchet handle provides greater ease of use and maximum tensioning with minimum force
- Designed, tested, and labeled to meet CVSA guidelines, DOT regulations, and WSTDA standards
- Custom assemblies and multiple fittings for a variety of applications


Fixed End Hook

Buckle

Webbing

Label

Adjustable End Hook





For additional information, contact us at:

Unitex USA

One Charles Street

Providence, Rhode Island, USA 02904

Tel: (877) UTX-USA1

(401) 277-9700

Fax: (401) 277-9710



United States • United Kingdom • Germany • Italy • Monaco • Netherlands • France • Hong Kong • China • Malaysia • Singapore